EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1026	375/259.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L6	2891	375/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L7	427	375/367.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L8	1049	(transmi$6 with modulation) same (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L9	3	5 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:26
L10	5	6 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:25
L11	1	7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:25
L12	2360	(transmi$6 with (modulation adj2 type or timing or synchroni$6 or frequenc$3)) with ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:26
L13	7	5 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:26
L14	21	6 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:27

EAST Search History

L15	71	7 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:27
S1	0	pseudo adj1 radom with poisson adj2 process$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:55
S2	558	poisson adj2 process$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:56
S3	2	10/633,846	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:55
S4	17	poisson adj2 process$3 and modulat$3 same tim$3 same frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:04
S5	18	poisson adj2 process$3 and modulat$3 same tim$3 same frequenc$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:56
S7	107	(Rastegar with Jahangir) or (Spineni with Thomas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:05
S8	26	((Rastegar with Jahangir) or (Spineni with Thomas)) and (transmi$5 and receiv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:35
S9	1	((Rastegar with Jahangir) or (Spineni with Thomas)) and (transmi$5 and receiv$3) and poisson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:06
S12	20	low adj1 detect$7 with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:44

S13	709	($3PSK or $3QAM or FSK) same (first and second) with (transmi$6 and receiv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:48
S14	347	($3PSK or $3QAM or FSK) same (transmi$6 and receiv$3) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:05
S15	7	($3PSK or $3QAM or FSK) same (first and second) with (transmi$6 and receiv$3) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:03
S16	3	($3PSK or $3QAM or FSK) same (first and second) with (transmi$6 and receiv$3) same header with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:49
S17	1	($3PSK or $3QAM or FSK) same (first and second) with (transmi$6 and receiv$3) same header with detect$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:01
S18	4	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:03
S19	189	($3PSK or $3QAM or FSK) same (transmi$6 and receiv$3) same header with (modulat$3 or frequency or tim$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:07
S20	133	(transmi$6 and receiv$3) same ($3PSK or $3QAM or FSK) with header with (modulat$3 or frequency or tim$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:08
S21	9	(transmi$6 and receiv$3) same ($3PSK or $3QAM or FSK) with header with (modulat$3 or frequency or tim$3) with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:37
S22	2036	(transmi$6 with ($2PSK or FSK or $2QAM)) same ((next or second) with ($2PSK or FSK or $2QAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:42

S23	1711	(transmi$6 with ($2PSK or FSK or $2QAM)) with ((next or second) with ($2PSK or FSK or $2QAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:43
S24	45	(transmi$6 with pluralit$3 with modulation) with ((next or second) with ($2PSK or FSK or $2QAM))	US-PGPUB; USPAT;. USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 13:41
S27	1	(transmi$6 with multi$2mode with modulation) same (header with (next or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 13:45
S28	1	(transmi$6 with multi$2mode with modulation) same (modulation with (next or second) with (information or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 13:52
S32	2	(transmi$6 with multi$2mode with modulation) same (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:36
S33	2	(transmi$6 with multi$2mode with modulation) same (identifier or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:39
S34	1049	(transmi$6 with modulation) same (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:31
S35	487	(transmi$6 with modulation) with (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:42
S36	65	(transmi$6 with modulation) with (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification) with (message or pack$3 or head$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:29
S37	9	"5701332"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:05

S38	19	"5982819"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:07
S39	8	"6169761"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:07
S40	9	(transmi$6 with modulation) same (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification) and poisson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:33
S41	110	(transmi$6 with (modulation or tim$3 or frequenc$3)) same (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification) and poisson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:40
S42	85	transmi$6 same (modulation adj3 type) with (next or second) with (data or message or information or transmi$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:43
S43	70	transmi$6 same (modulation adj3 type) with (next or second) with (data or message or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:43
S44	68	(transmi$6 with modulation) with (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification) with (message or pack$3 or head$3 or preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:32
S45	65	(transmi$6 with modulation) with (append$3 or attach$3 or (along adj1 "with") or includ$3) with (ID or identifier or identification) with (message or pack$3 or head$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:29
S46	3	S44 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:29
S47	2360	(transmi$6 with (modulation adj2 type or timing or synchroni$6 or frequenc$3)) with ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:36

S48	1	(transmi$6 with (modulation adj2 type or timing or synchroni$6 or frequenc$3)) with (append$3 or attach$3) with ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:38
S49	204	(transmi$6 and (modulation adj2 type or timing or synchroni$6 or frequenc$3)) same (append$3 or attach$3) same ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:38
S50	204	(transmi$6 same (modulation adj2 type or timing or synchroni$6 or frequenc$3)) same (append$3 or attach$3) same ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:39
S51	119	(transmi$6 with (modulation adj2 type or timing or synchroni$6 or frequenc$3)) same (append$3 or attach$3) same ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:39
S52	4	(transmi$6 with (modulation adj2 type or timing or synchroni$6 or frequenc$3)) with (append$3 or attach$3) same ((PN or random) with generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:40
S53	44	(transmi$6 with (modulation adj2 type or timing or synchroni$6 or frequenc$3)) with ((PN or random) with generat$3) same (append$3 or attach$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:16